

## Z-All Aluminum Full Narrow (FN) Sill

Performance *Standard* 



Z-FN Full Narrow Substrate



### 1 Composite Substrate

No more stuck doors or drafts because the Z-Series All Aluminum Full Narrow substrate material is a water-proof composite that won't rack, warp or rot, ever.

### 2 Aluminum Cap and Nosing

Aluminum cap and nosing finishes look great and resists wear and discoloration. Aluminum used in the cap and nosing provides durability and toughness in hot climate applications.

### 3 Sealed Adjustment Screws

Patented sealing plugs hide unsightly screws and keep water and dirt away from the adjustment mechanism, maintaining adjustability of the sill cap over time.

### 4 Narrow Cap

Because of the narrow threshold cap, the drip edge on the door bottom deflects water a full 1/4" in front of the cap, protecting against air and water infiltration.

### 5 High Dam, Integrated Seal

A dual durometer cap seal overlaps the high dam. Both combine to provide a barrier to air and moisture even in the most extreme weather conditions.

## Why buy a Z-All Aluminum Full Narrow (FN) Sill?

*The Z-All Aluminum FN provides a durable full narrow substrate and an all-aluminum construction that is perfect for high heat markets..*

## Features

- All composite substrate
- Length up to 6'0"
- CSL up to 1/2-3/0-1/2; hinged patio up to 3/0-3/0
- Tileback edge option provides trim for tile floors
- Patented performance—U.S. Patents: 5, 426, 894; 5, 588, 266; 5, 611, 173, 6, 789, 358; 7, 350, 336; D354, 572



# Z-All Aluminum Full Narrow (FN) Sill Options & Availability



## Availability

Available in 3-11/16" and 4-9/16" sill widths. Inswing only.

## Sill Cover

Durable patented sill covers, provide protection against damage to the sill during construction. Available in the following sizes: 3-11/16" and 4-9/16"

## Sill Extender Cavity Feature


The sill extender cavity feature is available on the 4-9/16" sill and accommodating sill extenders.



Z-All Aluminum Full Narrow (FN) Substrate



Sill Cover



Tileback Edge Option



Continuous Sidelite

## Specifications Overview

● Standard    ● Option    ○ Not Available

### Structure

Composite Substrate	●
Int. Thermal Break	●

### Cap Colors

Black	●
Dark Walnut	●
Castle Oak	●
Mill	●
Bronze	●

### Sill Width

3-1/2"	○
3-11/16"	●
3-3/4"	○
4-9/16"	●
5-5/8"	○
5-13/16"	○
7-13/16"	○

### Sill Cover Width

3-11/16"	●
4-9/16"	●
5-5/8"	○
5-13/16"	○
7-13/16"	○

### ZOB 2" Extender

Black, Walnut	○
---------------	---


### Cutability

2/6	Min	29.875"	
	Max	30.3125"	
2/8		Cuttable to 2/6?	v
	Min	31.875"	
	Max	32.3125"	
2/10	Min	N/A	
	Max	N/A	
3/0		Cuttable to 2/8?	N/A
		Cuttable to 2/10?	N/A
	Min	35.875"	
	Max	36.3125"	
3/4-3/6	Min	N/A	
	Max	N/A	
5/0	Min	57.9375"	60.1875"
	Max	59.750"	62"
5/4	Min	61.9375"	64.1875"
	Max	63.750"	66"
6/0	Min	69.9375"	72.1875"
	Max	71.750"	74"
0/10-3/0-0/10	Min	58.9735"	
	Max	61.8125"	
1/0-3/0-1/0		Cuttable to 0/10?	v
	Min	61.8125"	
	Max	63.250"	
1/2-3/0-1/2		Cuttable to 1/0?	v
	Min	65.8125"	
	Max	67.250"	
1/4-3/0-1/4	Min	N/A	
	Max	N/A	
2/6-2/6	Min	57.9375"	60.1875"
	Max	59.750"	62"
2/8-2/8	Min	61.9375"	64.1875"
	Max	63.750"	66"
3/0-3/0	Min	69.9375"	72.1875"
	Max	71.750"	74"
3/0-3/0-3/0	Min	N/A	
	Max	N/A	
3/0-3/0-3/0-3/0	Min	N/A	
	Max	N/A	


### Deck Color Options

	Mill	Bronze	Brass	Nickel
3-1/2" (Screw Boss)	○	○	○	○
3-11/16"	●	●	○	○
3-3/4" (Screw Boss)	○	○	○	○
4-9/16"	●	●	○	○
5-5/8"	○	○	○	○
5-13/16"	○	○	○	○
7-13/16"	○	○	○	○

### Aluminum Deck Colors



### Aluminum Cap Colors



PERFORMANCE STANDARD

8817 W. Market St., Colfax, NC 27235  
**1.800.334.2006** www.enduraproducts.com

Contact us for more information.

The information contained in this document is the confidential and proprietary information and trade secrets of Endura Products, Inc. Any disclosure, use or dissemination of such information without the express written permission of Endura Products, Inc. is strictly prohibited. Endura Products, Inc. also owns any and all intellectual property rights embodied in such information, including patent rights, copyrights, and trademark rights, and no license of any intellectual property right is intended, nor should any license be implied, as a result of the receipt of this document.