


Deadbolt & Handleset Compatibility Guide





Description	Model No.	Configuration	Handleset Adapter	Deadbolt Adapter	Deadbolt Collar Required
8455 Low Profile Single Cylinder Deadbolt	8455	Single Cylinder Deadbolt	-	H	No
#1 Style Wrought Steel Single Cylinder Deadbolt	8461	Single Cylinder Deadbolt	-	H	Yes
#2 Wrought Steel Single Cylinder Deadbolt	8452	Single Cylinder Deadbolt	-	H	Yes
#3 Wrought Steel Single Cylinder Deadbolt	8463	Single Cylinder Deadbolt	-	H	Yes
#8 Single Cylinder Deadbolt	8466	Single Cylinder Deadbolt	-	H	Yes
#11 Tuscan Single Cylinder Deadbolt	8472	Single Cylinder Deadbolt	-	H	Yes
#14 Tuscan Single Cylinder Deadbolt	8473	Single Cylinder Deadbolt	-	H	Yes
Arts & Crafts Single Cylinder Deadbolt	8454	Single Cylinder Deadbolt	-	H	Yes
Classic Tuscan Single Cylinder Deadbolt	8471	Single Cylinder Deadbolt	-	H	Yes
Knoxville Single Cylinder Deadbolt	8459	Single Cylinder Deadbolt	-	H	Yes
Modern Disk Single Cylinder Deadbolt	8423	Single Cylinder Deadbolt	-	H	Yes
Modern Keyed Single Cylinder Deadbolt	8467	Single Cylinder Deadbolt	-	H	Yes
Neos Single Cylinder Deadbolt	8475	Single Cylinder Deadbolt	-	H	Yes
Octagon Tuscan Single Cylinder Deadbolt	8360	Single Cylinder Deadbolt	-	H	Yes

Brand	Adapter
EMTEK	 "H" Deadbolt Adapter

- Note:**
- Deadbolt trim spacer collars should be included with Emtek locks and must be used with M-Protect™.
 - Notify the Emtek lock supplier if the door panel is thicker than 1-3/4".
 - The Split-Square (gold color) adapters are a two-piece adapter where both must be inserted into the handle set drive.
 - Emtek's Interconnect Device, Double Cylinder, or EMPowered Smart Lock are not compatible with M-Protect™.
 - 5-1/2" center to center spacing for deadbolt and handleset bores are required for M-Protect™ on 3/4 and full sideplates.

Deadbolt & Handleset Compatibility Guide

	Description	Model No.	Configuration	Handleset Adapter	Deadbolt Adapter	Deadbolt Collar Required
 8468	Quincy Single Cylinder Deadbolt	8478	Single Cylinder Deadbolt	-	H	Yes
	Rectangular Single Cylinder Deadbolt	8468	Single Cylinder Deadbolt	-	H	Yes
	Regular Single Cylinder Deadbolt	8450	Single Cylinder Deadbolt	-	H	No
 8464	Regular Sandcast Single Cylinder Deadbolt	8450	Single Cylinder Deadbolt	-	H	No
	Rope Single Cylinder Deadbolt	8464	Single Cylinder Deadbolt	-	H	Yes
	Saratoga Single Cylinder Deadbolt	8458	Single Cylinder Deadbolt	-	H	Yes
 8469	Square Single Cylinder Deadbolt	8469	Single Cylinder Deadbolt	-	H	Yes
	Stainless Modern Disc Single Cylinder Deadbolt	S50004	Single Cylinder Deadbolt	-	H	Yes
	Stainless Round Single Cylinder Deadbolt	S50002	Single Cylinder Deadbolt	-	H	Yes
	Stainless Square Single Cylinder Deadbolt	S50003	Single Cylinder Deadbolt	-	H	Yes
	Urban Modern Single Cylinder Deadbolt	8426	Single Cylinder Deadbolt	-	H	Yes
 8990	Wilshire Single Cylinder Deadbolt	8479	Single Cylinder Deadbolt	-	H	Yes
	Colonial Keyed - 5-1/2" CtC with Single Cylinder Deadbolt	8990	Single Cylinder Deadbolt x Knob or Lever x Face Plate	2pc Split Square	H	Yes

Brand	Adapter	
EMTEK	 Two Piece Split Square Handleset Adapter (Gold)	 "H" Deadbolt Adapter

Note:

- Deadbolt trim spacer collars should be included with Emtek locks and must be used with M-Protect™.
- Notify the Emtek lock supplier if the door panel is thicker than 1-3/4".
- The Split-Square (gold color) adapters are a two-piece adapter where both must be inserted into the handle set drive.
- Emtek's Interconnect Device, Double Cylinder, or EMPowered Smart Lock are not compatible with M-Protect™.
- 5-1/2" center to center spacing for deadbolt and handleset bores are required for M-Protect™ on 3/4 and full sideplates.



PANOLOCK+
MULTI-POINT LOCK




Deadbolt & Handleset Compatibility Guide




7991



8821



4817



4812

Description	Model No.	Configuration	Handleset Adapter	Deadbolt Adapter	Deadbolt Collar Required
Delaware Keyed - 5-1/2" CtC with Single Cylinder Deadbolt	8996	Single Cylinder Deadbolt x Knob or Lever x Face Plate	2pc Split Square	H	Yes
Rope Keyed - 5-1/2" CtC with Single Cylinder Deadbolt	7991	Single Cylinder Deadbolt x Knob or Lever x Face Plate	2pc Split Square	H	Yes
Wilshire Keyed - 5-1/2" CtC with Single Cylinder Deadbolt	8821	Single Cylinder Deadbolt x Knob or Lever x Face Plate	2pc Split Square	H	Yes
Adams Tubular Entry Set	4414	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
Apollo Tubular Entry Set	4815	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
Ares Tubular Entry Set	4817	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
Arts & Crafts Tubular Entry Set	4801	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
Arts & Crafts Full length Tubular Entry Set	4812	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
Baden Tubular Entry Set	4820	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
Davos Tubular Entry Set	4818	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes

Brand	Adapter	
EMTEK	 Two Piece Split Square Handleset Adapter (Gold)	 "H" Deadbolt Adapter

- Note:**
- Deadbolt trim spacer collars should be included with Emtek locks and must be used with M-Protect™.
 - Notify the Emtek lock supplier if the door panel is thicker than 1-3/4".
 - The Split-Square (gold color) adapters are a two-piece adapter where both must be inserted into the handle set drive.
 - Emtek's Interconnect Device, Double Cylinder, or EMPowered Smart Lock are not compatible with M-Protect™.
 - 5-1/2" center to center spacing for deadbolt and handleset bores are required for M-Protect™ on 3/4 and full sideplates.

Deadbolt & Handleset Compatibility Guide








Description	Model No.	Configuration	Handleset Adapter	Deadbolt Adapter	Deadbolt Collar Required
Franklin Tubular Entry Set	4413	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
Hamden Tubular Entry Set	4213	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
Hercules Knurled Full Length Tubular Entry Set	4219	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
Hercules Knurled Monolithic Tubular Entry Set	4218	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
Hercules Knurled Sectional Tubular Entry Set	4217	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
Hercules Smooth Full Length Tubular Entry Set	4216	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
Hercules Smooth Monolithic Tubular Entry Set	4215	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
Hercules Smooth Sectional Tubular Entry Set	4214	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
Imperial Tubular Entry Set	4911	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
Jefferson Tubular Entry Set	4415	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes

Brand	Adapter	
EMTEK	 Two Piece Split Square Handleset Adapter (Gold)	 "H" Deadbolt Adapter

- Note:**
- Deadbolt trim spacer collars should be included with Emtek locks and must be used with M-Protect™.
 - Notify the Emtek lock supplier if the door panel is thicker than 1-3/4".
 - The Split-Square (gold color) adapters are a two-piece adapter where both must be inserted into the handle set drive.
 - Emtek's Interconnect Device, Double Cylinder, or EMPowered Smart Lock are not compatible with M-Protect™.
 - 5-1/2" center to center spacing for deadbolt and handleset bores are required for M-Protect™ on 3/4 and full sideplates.






Deadbolt & Handleset Compatibility Guide

	Description	Model No.	Configuration	Handleset Adapter	Deadbolt Adapter	Deadbolt Collar Required
 <p>4310</p>	Knoxville Tubular Entry Set	4310	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
	Lausanne Tubular Entry Set	4819	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
	Marietta Tubular Entry Set	4411	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
	Melrose Tubular Entry Set	4212	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
	Lafayette Monolithic Tubular Entry Set	4611	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
	Normandy Monolithic Tubular Entry Set	4611	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
 <p>4816</p>	San Carlos Monolithic Tubular Entry Set	4611	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
	Nashville Tubular Entry Set	4312	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
	Orion Tubular Entry Set	4816	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
 <p>4311</p>	Orleans Tubular Entry Set	4311	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
Brand		Adapter				
EMTEK		 Two Piece Split Square Handleset Adapter (Gold)		 "H" Deadbolt Adapter		

Note:

- Deadbolt trim spacer collars should be included with Emtek locks and must be used with M-Protect™.
- Notify the Emtek lock supplier if the door panel is thicker than 1-3/4".
- The Split-Square (gold color) adapters are a two-piece adapter where both must be inserted into the handle set drive.
- Emtek's Interconnect Device, Double Cylinder, or EMPowered Smart Lock are not compatible with M-Protect™.
- 5-1/2" center to center spacing for deadbolt and handleset bores are required for M-Protect™ on 3/4 and full sideplates.

Deadbolt & Handleset Compatibility Guide

	Description	Model No.	Configuration	Handleset Adapter	Deadbolt Adapter	Deadbolt Collar Required
 4711	Ribbon & Reed Tubular Entry Set	4711	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
	Richmond Tubular Entry Set	4313	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
	Saratoga Tubular Entry Set	4410	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
	Transitional Heritage Monolithic Tubular Entry Set	4717	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
 4715	Transitional Heritage Sectional Tubular Entry Set	4716	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
	Tuscany Monolithic Tubular Entry Set	471112	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
	Tuscany Sectional Tubular Entry Set	471224	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
	Urban Modern Sectional Tubular Entry Set	4715	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
 4211	Wilmington Tubular Entry Set	4314	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
	Wilshire Tubular Entry Set	4211	Thumb Press Handleset with Interior Knob or Lever	2pc Split Square	H	Yes
Brand			Adapter			
EMTEK®			 Two Piece Split Square Handleset Adapter (Gold)		 "H" Deadbolt Adapter	

Note:

- Deadbolt trim spacer collars should be included with Emtek locks and must be used with M-Protect™.
- Notify the Emtek lock supplier if the door panel is thicker than 1-3/4".
- The Split-Square (gold color) adapters are a two-piece adapter where both must be inserted into the handle set drive.
- Emtek's Interconnect Device, Double Cylinder, or EMPowered Smart Lock are not compatible with M-Protect™.
- 5-1/2" center to center spacing for deadbolt and handleset bores are required for M-Protect™ on 3/4 and full sideplates.

Disclaimer: Endura Products® PanoLock®+ Multi-Point Security Lock system is designed to be compatible with or complementary to the referenced products. References to third-party products are for informational and compatibility purposes only and constitute neither an endorsement nor a recommendation. Endura Products® does not claim any ownership interest in the trademarks, copyrights, or other intellectual property rights of other manufacturers or brand owners. Any use of third-party names or trademarks is to identify the corresponding third-party products, and shall be considered nominative fair use under trademark law.